

# 2022 WATER QUALITY REPORT

This report is to inform you of your drinking waters quality and where your water comes from. The Port of Tillamook Bay purchases all water we distribute from the City of Tillamook. The Port of Tillamook Bay does not provide any additional treatment to water before distribution to our customers. Since the Port of Tillamook Bay only redistributes water already fully treated by the City of Tillamook, information contained within the City of Tillamook Water Department 2022 Annual Water Quality Report covers the information on water that you receive. Please find the included copy of the City of Tillamook Water Departments 2022 Annual Water Quality Report.

In addition to the City of Tillamook's testing, the Port of Tillamook Bay also completes weekly, monthly, and annual testing to assure compliance with water quality standards. The Port of Tillamook Bay collects monthly routine coliform and E. coli samples for analysis. During the 2022 year, the Port received all "Absent or ND" test results for coliform and E. coli samples collected from within the Ports water system. The Port also tests drinking water for Free Chlorine residual three times a week to assure that water is compliant with safe drinking water standards.

During the year 2022, annual disinfection by-product samples were collected and analyzed from our water system in addition to testing completed by the City of Tillamook. These results are listed on the table below. In August of 2022, Tillamook County Environment Health completed a Water System Survey of the Port of Tillamook Bay. Upon completion of the survey, The Port of Tillamook Bay was found to meet the criteria for Outstanding Performance.

Disinfection By-Products	Test Results mg/l	MCL mg/l	Typical Source
Officers Mess Hall (Building#5) Total Trihalomethanes (TTHM)	0.0033	0.0800	By-product of drinking water disinfection
Officers Mess Hall (Building#5) Haloacetic Acids (HAA5)	ND	0.0600	By-product of drinking water chlorination

Drinking Water Definitions and Abbreviations				
MCL	Maximum Contaminant Level	highest level of contaminant allowed in drinking water.		
mg/l	milligrams per liter	same as parts per million		
ppm	parts per million	same as milligrams per liter		
ND	non-detect	contaminant not detected by test		
<	less than			



Do you wish to get more involved with your water?

The Port of Tillamook Bay holds regularly scheduled monthly board meetings. The time and date of these meetings are posted prior to meetings at the following locations: Online at potb.org, Tillamook County Library, Tillamook County Court House, and in the Port of Tillamook Bays main office lobby.

The Port of Tillamook Bay hopes that you will find this information helpful and reassuring in understanding your water's quality. If you have any questions, please feel free to contact us.

Port of Tillamook Bay Michael Christie, Utilities Supervisor 4000 Blimp Blvd. Suite 100 Tillamook, OR 97141

Office Phone: (503)842-2413 Direct Phone: (503)354-8056 Email: mchristie@potb.org

# City of Tillamook Water Department 2022 Annual Water Quality Report



Environmental Protection Agency Safe Drinking Water Hotline (800) 426-4791

Oregon Health Authority
Drinking Water Program
(971) 673-0405

Tillamook City Utility Department (503) 842-2343

# Important information concerning your drinking water.

# Esto es uno informcion importante. Por favor, silo puenden traducirlo.

\*\*\*\*\* \*\*\*\*\* \*\*\*\*

The 1996 Amendments to the Safe Drinking Water Act require that all states conduct Source Water Assessments for public water systems within their boundaries. The assessments consist of (1) Identification of the Drinking Water Protection Area, i.e., the area at the surface that is directly above that part of the aquifer that supplies groundwater to our well(s), (2) Identification of potential sources of pollution within the Drinking Water Protection Area, and (3) Determining the susceptibility or relative risk to the well water from those sources. The purpose of the assessment is to provide water systems with the information they need to develop a strategy to protect their drinking water resource if they choose. An environmental quality assessment for our system has been completed. A copy of the report is on file at the water system's office.

We have a **Sanitary Survey Report** on file from Oregon Health Authority. We are pleased to report that your drinking water is safe and meets federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact the Public Works Director, Shawn Burge', Water Distribution Supervisor AJ Harmon, or Water Treatment Supervisor Levi Beachy. The Utility Office is located at Tillamook City Hall 210 Laurel Avenue, or you may call 842-2343. Our office hours are 7:30 am – 5:30 pm, Monday thru Thursday. City Council meetings are held on the first and third Monday of each month, you are welcome to attend, they begin at 7:00 pm.

In our continuing efforts to maintain a safe and dependable water supply, it is necessary to make continuing improvements in your water system. The costs of these improvements are reflected in the rate structure. Rate adjustments are necessary in order to address these improvements. Thank you for understanding. We work hard to provide top quality water to every tap. We ask that all our customers help us protect our water sources, the heart of the community.

For security reasons the locations of your water supply will not be discussed in this document. Your water supply is supported by both surface and ground water sources which are located in restricted access zones. Water quality parameters are monitored closely, 365 days a year. Water quality and security are top priority.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

**Non-Detects (ND)** - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

**Parts per billion (ppb) or Micrograms per liter** - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

**Nephelometric Turbidity Unit (NTU)** - nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**Action Level** - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Treatment Technique (TT)** - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Residual Disinfectant Level (MRDL)- The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG)- The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**NITRATES**: As a precaution we always notify the Health Department in this area if there is ever a higher than normal level of nitrates in the water supply.

**LEAD:** If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Tillamook Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials and components associated with service lines and home plumbing. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested.

Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline, 1-800-426-4791, or www.epa.gov/safewater/lead.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791)

# **TEST RESULTS**

			Radionu	ıclide	Monitoring (	Radionuclides)
	Ι	ETECTED	M	CLG	MCL	
Gross Alpha	EP-A	N.D.	pCi/I	0	15	Erosion of natural deposits
Gross Alpha	EP-C	1.30	pCi/1	0	15	Erosion of natural deposits
Gross Alpha	EP-D	2.00	pCi/1	0	15	Erosion of natural deposits
Combined rad	lium EP-A	N.D.	pCi/I	0	5	Erosion of natural deposits
Combined rad	lium EP-C	N.D.	pCi/I	0	5	Erosion of natural deposits
Combined rad	ium EP-D	N.D.	pCi/l	0	5	Erosion of natural deposits
Combined ura	nium EP-A	N.D.	mg/L	0	0.03	Erosion of natural deposits
Combined ura	nium EP-C	N.D.	mg/L	0	0.03	Erosion of natural deposits
Combined ura	nium EP-I	N.D.	mg/L	0	0.03	Erosion of natural deposits

Di	Disinfection Byproducts, Byproduct Precursors, and Disinfection Residuals (DBP's)					
	mg/L.	MCL				
Total Trihalomethanes		0.080	Some people who drink water containing trihalomethanes			
City Hall Site	0.013		in excess of the MCL over many years may experience			
101 N. Site	0.012		problems with their liver, kidneys, or central nervous system, and may have an increased risk of getting cancer.			
Haloacetic Acids (HA	A5)	0.060	Some people who drink water containing haloacetic acids			
City Hall Site	ND		in excess of the MCL over many years may have an			
101 N. Site	ND		increased risk of getting cancer			

# **TEST RESULTS**

Inorganic Contaminants (Lead & Copper / Nitrate)	
DETECTED mg/L MCL	

Copper,90th. Percentile	0.0.	systen	1.3 Corrosion of household plumbing as; erosion of natural deposits; leaching avood preservatives	
Lead 90th Percentile	0.0		of natural deposits	
EP-A Nitrate	1.03	10	Runoff from fertilizer use; leaching from septic	
EP-A Nitrite	ND	10	tanks, sewage, crosion of natural deposits.	
EP-C Nitrate	0.876	10	Raw water sample.	
EP-C Nitrite	N.D	10	Raw water sample.	
EP-D Nitrate	3.23	10	Runoff from fertilizer use; leaching from septic	
EP-D Nitrite	N.D	10	tanks, sewage; erosion of natural deposits	

## WATER CONSERVATION IS A GREAT IDEA!

# TIPS FOR CONSERVING WATER Please Conserve Water it is a valuable resource for all of us!

<u>Check for leaks:</u> Read your water meter, write down the number and don't use the water for a couple of hours. Read the meter again. Compare the reads if they are different you have a leak.

<u>Check for toilet tank leaks:</u> Pour some beet juice or die into the tank. If the toilet is leaking color will appear in the toilet bowl in about 15 to 20 minutes. If leaking have repairs done.

Take shorter showers: Long showers use lots of water.

**Repair dripping faucets:** If your faucet is dripping at a rate of one drop per second, you can expect to waste 2,700 gallons per year. This adds to the cost of water and sewer utilities, or can strain your septic system.

**Refrigerate drinking water:** This will help prevent running the tap for long periods waiting for cold water.

<u>Lawn and Garden watering:</u> Water in the cool of the day only using the amount recommended by your gardener or garden supply center.

#### IRRIGATION SYSTEMS

If you have an irrigation system for lawn and gardening purposes you must have an approved backflow preventing device installed. The purpose of such a device is to prevent the water system from being contaminated by any chemical or fertilizer back-flow accident. If you have any questions about back-flow prevention please contact your water supplier.

# **Microbiological Contaminants**

Note: We tested for Total Coliform Bacteria and Fecal Coliform with No Detections

\*\*\* \*\*\* \*\*\* \*\*\*

Arsenic (Arsenic)
Note: We tested for Arsenic with No Detections.

THERE WERE NO DETECTIONS OF UNREGULATED VOC;s OR SOC;s (Under "Chemical group summary"-VOC) in either the ground water or surface water sources

# **MAXIMUM CONTAMINANT LEVELS**

MCL's are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

City of Tillamook Water Department 210 Laurel Ave. Tillamook, Oregon 97141

PRESORTED FIRST CLASS MAIL U.S. POSTAGE PAID TILLAMOOK, OR PERMIT NO. 168

**Note**: If you are a landlord who pays for the tenants monthly water bill, please provide your tenant with a copy of this report.

# FREQUENTLY ASKED QUESTIONS

## DOES TILLAMOOK ADD FLUORIDE TO THE WATER?

No! Tillamook does not add fluoride to the water. Parents of young children may want to consult their dentist about fluoride treatment.

## WHAT IS THE pH OF OUR WATER?

Generally the pH is around 6.7 to 7.0. (RAW): pH 7.2-7.8 (FINISHED WATER)

#### IS OUR WATER HARD OR SOFT?

Tillamook water is soft, averaging around 20 ppm hardness, (Apx. 1 grain/gal.)

## WHY DOES MY WATER APPEAR MILKY AT TIMES?

Our surface water is supersaturated with oxygen. When first drawn it can, in some areas of our distribution system appear milky. As the water sits the oxygen dissipates from the bottom of the glass up. It is not a health risk.

#### WHAT CAN I DO ABOUT CHLORINE ODORS?

- \* Fill a pitcher and let it stand in the refrigerator overnight.
- \* Pour water between containers about 10 times.
- \* Heat the water to about 100 degrees Fahrenheit and let cool. Keep refrigerated.